



# flappy coin purse

**SKILL LEVEL: INTERMEDIATE**

## Supplies:

- 1" (13.5mm) Split Ring/Key Ring
- Metal or Resin (Kam) snap
- 3/16" Eyelet kit with tool (optional)
- Two quilting weight cotton or canvas fabrics (minimum 10 inches tall by 11 inches wide each)
- Fusible Fleece
- Medium weight fusible interfacing

I used "Flower Field" and "Dot" from Dailylike Canada

A 1/4" seam allowance is used for this pattern. Topstitch and baste with a 1/8" seam allowance.

## Prepare Your Fabric

Place paper templates on fabric and trace around them. You will need two exterior fabric pieces, two for the lining fabric and two for the flap. Cut out the darts on the fabric.

- 2.5" square of exterior fabric for the keyring (if not using an eyelet)
- Fuse fleece to exterior fabric
- Fuse medium weight interfacing to each flap piece (Fig. 1)

Take your two lining pieces and cut away 1/4" from the top straight edge. This stops the lining from "bunching" up inside the pouch. (Fig.2)



FIG.1




FIG.2

### Step One:

Place flap pieces right sides together and sew along the sides and bottom, leaving the top open. Clip the corners and turn right side out, press.(Fig.3)  
Topstitch 1/8" from the edge on the three sides. Set aside.



FIG.3

### Step Two:

Take your exterior and lining pieces and fold the darts right sides together, sew darts together with a 1/4 inch seam allowance on all 4 pieces. (Fig.4)

Center the flap on one of the outer pieces, it should be approximately 3/4" away from each side. Baste in place. (Fig.5)



FIG.4

\*If you're not using the eyelet option for attaching the keyring, take your 2.5" square of outer fabric and fold in half, press with iron. Open up and fold edges in to meet in the middle crease, then fold in half on that crease. Topstitch around. Take your key ring and fold the fabric tab in half around it. Measure 1" down from the top edge of the front outer piece and baste in place. (Fig.6)

### Step Three:

Place exterior pieces right sides together, nesting the darts (Fig.7) sew the sides and bottom leaving the top straight edge open. Repeat with the lining pieces.

Turn the lining right side out and place inside the exterior piece, ensuring the right sides of the fabric are facing. Leave a 2 inch gap in the front of the pouch (not on the flap side) for turning. Sew around back stitching at beginning and end. (Fig.8)



FIG.5

Turn right side out. Leave the gap open for snap installation.



FIG.6



FIG.7



FIG.8



### Snap Installation:

The flap is approximately 4 inches wide so measure 2 inches in from the edge and 1/2" up from the bottom to center the snap. After you have installed the flap snap, close the flap and mark on the front of the pouch where the corresponding snap will be placed. Install bottom snap.

Fold the raw edges in and press with an iron. You can topstitch around the edge of the pouch to close the opening but because of its small size, this can be tricky so you can handstitch the opening closed or gasp!..use some fabric glue.

### Eyelet Installation:

Refer to the picture (Fig.9) for placement. I place mine on the back side of the pouch. I trace around the eyelet, then place a small hole with a metal awl and slowly make the hole bigger with a small pair of scissors. I recommend practicing on scrap fabric if it's your first time installing an eyelet. Once your hole is large enough install the eyelet according to the instructions on package. Now all you have left to do is slide on your keyring and add a cute tassel or charm!

Thank you for your interest in my pattern and tutorial! You are allowed to sell finished items on a small scale but please credit me,

**sewknotcrochet** as creator of the pattern.

Tag me on Instagram so I can see your creations!

Please do not copy or redistribute.

sewknotcrochet@gmail.com




**#flappycoinpurse**




# flappy coin purse

Template



Cut:      (2) Exterior  
              (2) Lining  
              (2) Fusible Fleece



Cut:      (2) Exterior  
              (2) Interfacing



1" x 1"