

NEVERA RIBs

All RIBs from Vento and Mirage line are designed for soft and level ride in harsh sea conditions. The cockpits are purposefully arranged and can be customized according to the clients' wishes and modes of use. The hulls and decks can be made in vacuum infusion technology or standard hand lay-up. The Mirage RIBs can be used in many ways – leisure, sport, tender, commercial, professional...

MIRAGE 370



Characteristics:

LOA – 3,70 m

Width – 1,89 m

Weight – 115 kg

Hull – deep V

Hull material – glass reinforced plastic

Tubes diameter – 40 cm

No.chambers – 4

Tubes material – Hypalon Neoprene 1300 gr/m²

Power range – outboards from 20 to 40 HP

VENTO 500



Characteristics:

LOA – 5,00 m

Width – 2,10 m

Weight – 260 kg

Hull – warped deep V (60 degrees at bow to 20 degrees at transom)

Hull material – multiaxial glass fibers reinforced vinyl ester resin

Tubes diameter – 40/50 cm

No.chambers – 5

Tubes material – Hypalon Neoprene 1300 gr/m²

Power range – outboards from 25 to 90 HP

CE certification – category C (6 persons)

VENTO 600 – new for 2016



Characteristics:

LOA – 6,00 m

Width – 2,50 m

Weight – 460 kg

Hull – warped deep V (60 degrees at bow to 21 degrees at transom)

Hull material – multiaxial glass fibers reinforced vinyl ester resin

Tubes diameter – 45/55 cm

No.chambers – 6

Tubes material – Hypalon Neoprene 1300 gr/m²

Power range – outboards from 80 to 150 HP

CE certification – category C (8 persons)

MIRAGE 650



Characteristics:

LOA – 6,50 m

Width – 2,50 m

Weight – 450 kg

Hull – warped deep V (60 degrees at bow to 18 degrees at transom)

Hull material – multiaxial glass fibers reinforced vinyl ester resin + carbon reinforcements

Tubes diameter – 43/55 cm

No.chambers – 5

Tubes material – Hypalon Neoprene 1300 gr/m²

Power range – outboards from 90 to 150 HP

CE certification – category B/C (6 persons/10 persons)

MIRAGE 750



Characteristics:

LOA – 7,50 m

Width – 2,90 m

Weight – 800 kg

Hull – deep V (55 degrees at bow to 23 degrees at transom)

Hull material – glass reinforced plastics

Tubes diameter – 55 cm

No.chambers – 6

Tubes material – Hypalon Neoprene 1300 gr/m²

Power range – outboards from 150 to 250 HP

CE certification – category C (12 persons)

NEWERA 775- new for 2016



Characteristics:

LOA – 7,75 m

Width – 2,80 m

Weight – 1500 kg (with inboard engine and jet drive)

Hull – deep V – semi wave piercing bow

Hull material – glass reinforced plastics or aluminum

Tubes diameter – 35/55 cm

No.chambers – 6

Tubes material – Hypalon Neoprene 1500 gr/m²

Power range – outboards from 200 to 400 HP/inboards up to 380 HP (Z – drive or jet drive)

CE certification – category C (12 persons)/B (10 persons)/B+F professional use

MIRAGE 950



Characteristics:

LOA – 9,50 m

Width – 3,70 m

Weight – 1500 kg

Hull – constant deep V (25 degrees transom deadrise)

Hull material – multiaxial glass fibers reinforced vinyl ester resin

Tubes diameter – 60 cm

No.chambers – 7

Tubes material – Hypalon Neoprene 1500 gr/m²

Fuel tank – 400 l

Power range – single or double inboards and outboards up to 700 HP

CE certification – category B/C (12 persons/16 persons)

MIRAGE 950 Cabin



Characteristics:

LOA – 9,50 m

Width – 3,70 m

Weight – 1800 kg (with one inboard of 300 HP)

Hull – constant deep V (25 degrees transom deadrise)

Hull material – multiaxial glass fibers reinforced vinyl ester resin

Tubes diameter – 60 cm

No.chambers – 7

Tubes material – Hypalon Neoprene 1500 gr/m²

No.berths - 4

Fuel tank – 400 l

Power range – single or double inboards and outboards up to 600 HP

Speed – 40 kts with one 300 HP inboard

CE certification – category B (12 persons)

The quality of Mirage RIBs is guaranteed with 5 years warranty on hull/deck and inflatable tubes.

For more information please contact us on info@nevera-boats.com or +385 95 863 2392

NEVERA BOATS

Vranducka 28

10000 Zagreb

Croatia