How do I repair a ripped bermuda

By le petit atelier de Tika

Materials

A Razmoket who rips his bermuda while falling

A bermuda which is ripped in the bottom of the leg. The left one on the photography... the one on the right will be used for materials to repair other trousers because I have a lot of quality but I'm not a magician !!!



Completion time

For a beginner, it should take 1h00. For a confirmed sewer, count half an hour.

Method

It is the simpliest repair you'll have to work on. In fact in a few steps we will realize the repair and your Razmoket will be able to wear the bermuda just after that.

To avoid further ripping, don't wash the bermuda even if it's unpleasant to sew dirty clothes. If you have to wash it, prefer a short cycle to limit the fraying.

Step 1 : Cutting

Here is the result of the falling:



To avoid problems during the cutting, if the bermuda is not too dirty, iron the two legs to cut as straight as possible :



As the bermuda has pocket on the legs, I cut the minimum amount of fabric.

Step 2 : Prépare the hem

Put the bermuda inside out and proceed as usual with needles.

Because I'm kind of lazy and my sewing machine is limited in number of layers it can sew, I overcast the bottom of the leg with my surger to make a simple overcast.



The round sewing needs to be done without the mount you can see on the left of the photo.

The bottom of the bermuda ready to be overcasted looks like that:



The pockets aren't placed at the same place on the legs so we'll have to compose with the pocket for the sewing.

Step 3: Sewing

The sewing of the bottom of the bermuda must be done with the top thread on the outside of the leg. To ease your work, just put your needles like on the photo below :



As with the serger you have to remove the mount to sew :



Step 4 : Et voilà !! It's done !!!!



COPYRIGHT - This model can be as personal and noncommercial use. It is forbidden to offer for sale or for commercial purposes an article made from this model without prior agreement of the author.