





Pixies are mischievous little creatures. They play tricks, and games with you, but their emotions run high and love with a deepness unheard of. This little Pixie is full of spunk and fun! A quick sew, and easy even for beginners! She measures about 6" x 8" once done.

www.ShopXOXOLauren.com

www.shopxoxolauren.Etsy.com. Feel free to sell your bags made with this pattern. If you do, please give credit for the pattern to XOXO lauren Copyright 2017 XOXO Lauren Share your creations in my FB group! FB.com/groups/xoxolaurenshowoff

Materials

2 contrasting fat quarters 1 – 10" zipper 1/8 yard of clear vinyl 1/8 yard woven interfacing 1/8 yard fleece interfacing

CUT OUT AND PIN THESE TAGS TO YOUR PATTERN PIECES TO KEEP TRACK OF THEM!

Bock Lining/Ext. 2 Fabric 2 Woven Interfacing 1 Fleece Interfacing	Ext. Front Top 1 Fabric 1 Woven Interfacing	Ext. Front Bottom 1 Vinyl
	<u>Cut the following:</u>	
Fat Quarter 2: Cut 1 Back Exterior		
CUT 1		5" x 9"
Woven Int: Cut 2 Cut 1		7" x 9" 2" x 9"
FLEECE INT: Cut 1		7" x 9"

Notes:

Always read through each step carefully! **Seam Allowance (SA) will always be stated on each corresponding step.** If you EVER have any questions, I'm here to help! Just send me a message on my FB page: www.fb.com/byneedleandthread

Printing:

Print at 100%, or 'Actual Size'. Measure the 1" box with a measuring tape or ruler to make sure it printed correctly! Also make sure your print settings are set to "Portrait" and NOT "Landscape". (Note: If possible, opening your pattern in Adobe Reader should yield a perfect 1" square).

This is seriously such a quick sew! the longest part is cutting and fusing. I'm serious. So please enjoy yourself, and make lots and lots of these cute and fun little bags!

Fusing

Fuse all woven interfacing to their matching pieces. Fuse the fleece interfacing to the back exterior piece, over the woven interfacing.

Time to Dance!

STEP 1:

Take your zipper and place it right side up on the table with the zipper pull facing left. Place your vinyl on the zipper, aligning the 9" side to the teeth, but making sure to not go over them. Also make sure your metal ends are out of the way so you can cut them off later.

Making sure it doesn't slip and slide, sew along the vinyl at $\frac{1}{4}$, attaching it to the zipper.

Step 2:

Take your Ext. Top piece, and place it RST on the opposite side of the zipper. Sew at $\frac{1}{4}$ SA.

Step 3:

Fold it back, and top stitch across, about 1/8" from the zipper.





STEP 4:

Place your BACK LINING piece right side up on the table. Place your sewn exterior on top of it, also right side up. Baste around the outside all the way around. Make sure the zipper pull is pulled in a little so you don't accidentally sew it off the end






STEP 5:

Place your back exterior piece right side down on top of your finished exterior, sandwiching the zipper in the middle. Pull the zipper pull a little into the center to avoid hitting it when you sew around the outside.

Leaving a 4" gap at the top, sew around all 4 edges at $\frac{1}{2}$ " SA. Trim the SA to $\frac{1}{4}$ ", and diagonally at the corners to reduce bulk. Also cut off the zipper ends that are sticking out.



STEP 6:

Turn your bag inside out, and poke out the corners with a blunt object like a corner turner, pencil, or chopstick.



STEP 7:

Fold under the SA where you turned your bag, and top stitch across the top at 1/8"-1/4", closing the hole as you sew across.

Turn your bag over, and give it a good press, making sure not to melt the vinyl!

And BAM!! She's done!

Now wasn't that easy!? Ok, quickly whip one up and show it off in my Facebook group, will ya?