




# Instructions for creating the Applique-Trapunto-Roses-NLS

All designs fit in a 4 x 4 inch hoop.



# ATWNLS0880


Required materials:

- Tear-Away stabilizer
- Water soluble stabilizer
- Fabric for Rose
- Batting (cotton batting & Poly batting)

The Color Sequence Chart below will be referred to in these instructions.



## Color Sequence:




Printed by Generations(TM), Copyright 2002-2007, All Rights Reserved.

1. Hoop fabric and tear-away stabilizer in 4 x 4 inch hoop.



2. Cut a 4 x 4 inch piece of fabric for the rose. Notice that I cut two pieces because I used a very thin type of fabric and one would have not given me the color I wanted.
3. Cut 2- 3.5 x 3.5 pieces of batting. One piece from Poly batting and one piece from regular quilt Batting. The last item is the template used to cut proper size and can be found in the PDF Color Charts for each design.





4. Attach hoop to machine and stitch #1 and #2 in the Color Sequence Chart. These stitches will create the rose stem and small leaves. There are two different colors of green used to add depth to the design.



5. Sew #3 in the Color Sequence Chart. These stitches will create the placement stitches for the batting.



6. Remove the hoop from the machine and cover the placement stitches with the 3.5 x 3.5 piece of batting. Cut a piece of water soluble stabilizer a bit larger than the batting and lay it over the batting. Tape in place. This stabilizer will prevent the embroidery foot from getting caught in the batting.



7. Return hoop to machine and sew #4 in the Color Sequence chart. These stitches will attach the batting and water soluble stabilizer to the fabric and tear-away stabilizer.



8. Remove hoop from machine and using a sharp pair of embroidery scissors, cut away the batting and water soluble stabilizer from around the rose. It is necessary to cut these layers very close to the stitching-but be careful not to clip the stitches.



9. Take the fabric you selected for the rose applique and the second piece of batting. Lay it over the design and tape in place. Fabric is to be on top.



10. Sew #5 in the Color Sequence Chart. These stitches will attach the rose fabric to the rest of the design. Notice the stitching for attaching the fabric is a little outside of the stitches for the batting. This prevents the batting from sticking out of the final border.



11. Sew #6 in the Color Sequence Chart. These stitches will create the satin stitches inside of the design.



12. Remove hoop from machine, remove tape, and carefully cut around the rose.





13. Return hoop to machine and sew #7 in the Color Sequence Chart. These stitches will create the satin border around the outside of the rose.

**Your design is now complete.**



## ATWNLS0881

### Materials:

Fabric for Rose face (2 x 2.5 inch piece)


Thread-desired colors

Batting (two pieces 2 x 2.5 inches)

The Color Sequence Chart below will be referred to throughout instructions for this rose.



### Color Sequence:



Printed by Generations(TM), Copyright 2002-2007, All Rights Reserved.

### Procedure:

1. Hoop fabric and tear away stabilizer in a 4 x 4 inch hoop.
2. Stitch #1 in the Color Sequence Chart. These stitches will create the placement stitches for the rose bud.
3. Cover the placement stitches with the normal batting, attach with tape, and sew #2 on the Color Sequence Chart. These stitches will attach the batting to the fabric and stabilizer.
4. Cut batting away from outside of design, being careful not to cut stitches, but cutting very close to them.
5. Place the second piece of batting and rose fabric over the 1<sup>st</sup> piece of batting and secure with tape.

6. Sew #3 in the Color Sequence Chart.
7. Sew #4 in the Color Sequence Chart-These stitches firmly secure the fabric and batting to the design.
8. Cut away batting and rose fabric outside of the design. Cut as close as possible so the batting does not “stick out” through the border.
9. Sew #5 in the Color Sequence Chart. These stitches will create the satin stitches of the Rose bud.
10. Sew #6-10 in the Color Sequence Chart. These stitches will create the greenery of the design. Your design is complete. Remove from hoop and cut away any stray threads from front and back.

## ATWNLS0882

### Materials:

Fabric for Rose face (3 x 3 inch piece)


Thread-desired colors

Batting (2 pieces-3 x 3 inches)



The Color Sequence Chart below will be referred to throughout instructions for this rose.

### Color Sequence:



### Procedure:

1. Hoop fabric and tear away stabilizer in a 4 x 4 inch hoop.
2. Sew #1 in the Color Sequence Chart. These stitches will create part one of the leaves.
3. Sew #2 in the Color Sequence Chart. These stitches will create the highlights on leaves.
4. Sew #3 in the Color Sequence Chart. These stitches will create the placement stitches for the rose.
5. Cover the placement stitches with the normal batting, attach with tape, and sew #4 on the Color Sequence Chart. These stitches will attach the batting to the fabric and stabilizer.

6. Cut batting away from outside of design, being careful not to cut stitches, but cutting very close to them.
7. Place the second piece of batting and rose fabric over the 1<sup>st</sup> piece of batting and secure with tape.
8. Sew #5 in the Color Sequence Chart. These stitches will attach the batting and fabric to the design.
9. Sew #6 in the Color Sequence Chart-These stitches firmly secure the fabric and batting to the design.
10. Cut away batting and rose fabric outside of the design. Cut as close as possible so the batting does not “stick out” through the border.
11. Sew #7 in the Color Sequence Chart. These stitches will create the satin stitches of the Rose. The inside stitches will sew first, then the border.
12. Your design is complete. Remove from hoop and cut away any stray threads from front and back.

## ATWNLS0883

### Materials:

Fabric for Rose face (1 piece 3.25 x 2.5 inches)

Thread-desired colors

Batting (2 pieces-3.25 x 2.5 inches)



The Color Sequence Chart below will be referred to throughout instructions for this rose.

### Color Sequence:



### Procedure:

1. Hoop fabric and tear away stabilizer in a 4 x 4 inch hoop.
2. Sew #1 in the Color Sequence Chart. These stitches will create the leaves.
3. Sew #2 in the Color Sequence Chart. These stitches will create the highlights on leaves.
4. Sew #3 in the Color Sequence Chart. These stitches will create the rose stem.
5. Sew #4 in the Color Sequence Chart. These stitches will create the placement stitches for the rose.



6. Cover the placement stitches with the normal batting, attach with tape, and sew #5 on the Color Sequence Chart. These stitches will attach the batting to the fabric and stabilizer.
7. Cut batting away from outside of design, being careful not to cut stitches, but cutting very close to them.
8. Place the second piece of batting and rose fabric over the 1<sup>st</sup> piece of batting and secure with tape.
9. Sew #6 in the Color Sequence Chart. These stitches will attach the batting and fabric to the design.
10. Sew #7 in the Color Sequence Chart-These stitches firmly secure the fabric and batting to the design.
11. Cut away batting and rose fabric outside of the design. Cut as close as possible so the batting does not “stick out” through the border.
12. Sew #8 in the Color Sequence Chart. These stitches will create the satin stitches of the Rose.
13. Your design is complete. Remove from hoop and cut away any stray threads from front and back.

## ATWNLS0884

### Materials:

Fabric for Rose face (1-3 x 3.5 inch piece)


Thread-desired colors

Batting (2-3 x 3.5 inch pieces)

The Color Sequence Chart below will be referred to throughout instructions for this rose.



### Color Sequence:



Printed by Generations(TM). Copyright 2002-2007. All Rights Reserved.

## Procedure:

1. Hoop fabric and tear away stabilizer in a 4 x 4 inch hoop.
2. Sew #1 in the Color Sequence Chart. These stitches will create the leaves.
3. Sew #2 in the Color Sequence Chart. These stitches will create the highlights on leaves.
4. Sew #3 in the Color Sequence Chart. These stitches will create the placement stitches for the rose.
5. Cover the placement stitches with the normal batting, attach with tape, and sew #4 in the Color Sequence Chart. These stitches will attach the batting to the fabric and stabilizer.
6. Cut batting away from outside of design, being careful not to cut stitches, but cutting very close to them.
7. Place the second piece of batting and rose fabric over the 1<sup>st</sup> piece of batting and secure with tape.
8. Sew #5 in the Color Sequence Chart. These stitches will attach the batting and fabric to the design.
9. Sew #6 in the Color Sequence Chart-These stitches firmly secure the fabric and batting to the design.
10. Cut away batting and rose fabric outside of the design. Cut as close as possible so the batting does not "stick out" through the border.
11. Sew #7 in the Color Sequence Chart. These stitches will create the satin stitches of the Rose.
12. Your design is complete. Remove from hoop and cut away any stray threads from front and back.