

# Mini-Christmas Stockings

by Caroline Fairbanks-Critchfield

[www.sewcanshe.com](http://www.sewcanshe.com)

These cute little stockings are perfect for gift giving!

Size: approximately 6 1/2" tall and 5 1/2" wide.

Please note: Print the pattern pieces on pages 3-4 at 100%.

This free download contains brief written instructions only.

Please visit my blog post at [www.sewcanshe.com/blog/2018/9/26/adorable-mini-christmas-socking-free-pattern-tutorial](http://www.sewcanshe.com/blog/2018/9/26/adorable-mini-christmas-socking-free-pattern-tutorial)

for a complete step-by-step tutorial with photos.



## You will need:

- approximately 8" x 13" piece of fabric for the exterior
- approximately 8" x 13" piece of fabric for the lining
- approximately 6" x 6" piece of fabric for the cuffs
- approximately 6" x 6" piece of fabric for the applique patch pieces
- 1/4 yd fusible fleece interfacing (such as HeatnBond fusible fleece)
- fusible web for applique (such as HeatnBond lite)
- gold metallic thread for decorative appliqué stitches (optional)
- 6" of ric-rac trim or ribbon for a hanging loop (optional)

## Cutting:

From the fabric for the stocking exterior, cut:

- 1 from the 'stocking front' pattern piece
- 1 from the 'stocking back/lining' pattern piece

From the fabric for the lining, cut:

- 2 from the 'stocking back/lining' pattern piece (1 reversed)

From the cuff fabric, cut:

- 2 from the 'stocking cuff' pattern piece

From the fusible fleece interfacing, cut:

- 2 from the 'stocking back/lining' pattern piece (1 reversed)

Trace the 2 applique pieces to the back (paper side) of the fusible web for applique. Cut out. Fuse to the back of the applique fabric and cut out the fabric shapes with fusible web on the back.

### **Sewing**

*All seam allowances are 1/4".*

1. Sew the cuff piece to the top of the front piece with a 1/4" seam allowance.
2. Fuse the fusible fleece interfacing to the back of both stocking pieces.
3. Fuse the heel and toe applique pieces to the stocking front. Sew in place (using decorative thread, if desired).
4. Place the stocking pieces right sides together and sew around the sides and bottom edges with a 1/4" seam allowance. Cut notches (or use pinking shears) around the outer curves. Make small clips into the inner curve. Turn the stocking right side out and press gently.
5. If desired, fold the 6" piece of trim or ribbon in half and baste the raw edges together at the top of the stocking - on the back above the heel.
6. Place the two lining pieces right sides together and stitch with a 1/4" seam allowance. Leave a 3" opening at the bottom for turning.
7. With the stocking exterior right side out, place the lining over it (right sides together) and pin the top edges together.
8. Sew around the top edge with a 1/4" seam allowance.  
Tip: when sewing small openings like this, I will often sew from the inside instead of trying to fit it on my sewing machine's free-arm.
9. Turn the stocking right side out through the opening in the lining. Press the edges at the opening to the inside.
10. Sew the opening closed either by hand or by machine. Push the lining down inside the stocking and you are done!

Now use up all your Christmas fabric scraps making these adorable little gift-givers!

## **STOCKING CUFF**

cut 1 from cuff fabric

## **MINI CHRISTMAS STOCKINGS**

**PATTERN AND TUTORIAL FROM:**



## **STOCKING FRONT**

cut 1 from exterior fabric

# MINI CHRISTMAS STOCKINGS

PATTERN AND TUTORIAL FROM:



## STOCKING BACK/LINING

cut 1 from exterior fabric

cut 2 from lining fabric (1 reversed)



**TOE APPLIQUE**

cut 1



**HEEL APPLIQUE**

cut 1